

QUOTATION & PURCHASE CONTRACT

CONTRACT#

SV6011019

OUOTATION DATE

11/6/2006 7//8/0) Page 1 of 3

DRAWING #

COMPANY

SignArt, Inc.

5757 East Cork Street

KALAMAZOO, MICHIGAN 49048

Phone: (800) 422-3030 - Fax: (269) 381-0999

PURCHASER WESTERN MICHIGAN UNIVERSITY

CAMPUS PLANNING

BERNHARD CENTER ANNEX

KALAMAZOO, MI 49008

LOCATION WESTERN MICHIGAN UNIVERSITY

VARIOUS LOCATIONS

KALAMAZOO, MI

ATTENTION EVIE ASKEN

269.387.4082

CONTACT

SignArt, Inc., a Michigan Corporation, proposes to manufacture, and or deliver, and or install and maintain for the above-named customer the items described below subject to the terms and conditions set for on the last page hereof. Prices quoted are for items listed only and do not reflect any quotations or contractual arrangements for freight, installation, connection, foundations or steel supporting structures unless specifically itemized.

WM02

ltem	Description of Work	Product	Installation	Pkg/Crate	Total
1	MONUMENT SIGN #1 - DOUBLE-FACED ILLUMINATED DIRECTIONAL SIGN Furnish one (1) custom fabricated, internally illuminated (France T8-CC/DL double-banked horizontal fluorescent lamping with France electronic ballasts) U.L. approved and labeled, 4' 10" x 8' 3/4" x 1' 3" deep (verify), SignArt aluminum extrusion double-faced monument sign cabinet with 1 3/4" retainers and 2" t-bars primed and painted semi-gloss GripGard #877 silver. Top sign faces to be .100 thick aluminum primed and painted semi-gloss GripGard #877 silver with "WESTERN MICHIGAN UNIVERSITY" precision computer routed out and backed using flat Casocryl applied 3M #3650-70 diffuser vinyl (60% light transmission) on second surface. Wayfinding sign faces to be flat SGC100 clear Lexan with graphics digitally printed on second surface and applied 3M translucent white pressure sensitive vinyl on second surface. Monument sign to include custom fabricated, .100 thick aluminum constructed, 1' 10 1/2" x 7' 3 3/4" x 1' 5" deep (verify), decorative top cap primed and painted semi-gloss GripGard to match PMS #873 gold and seal applied Calon II #59 brown pressure sensitive vinyl. Monument sign to be supported using two (2) 2" x 4" x .250 thick, rectangular steel supports with base plate mounting system concealed using custom fabricated, .063 thick aluminum constructed, 4 1/2" x 9" x 6' 5 1/2" decorative pole covering with lockable recessed disconnect and base plate shrouds primed and painted semi-gloss GripGard #877 silver. Sign to include photocell.	\$9,100.00			\$9,100.00
2	MONUMENT SIGN #1 - INSTALLATION On first trip to site, direct embed two (2) anchor bolt cages in 1' 6" x 4' 6" deep, augured concrete filled foundations with two (2) 3/4" anchor bolts and 1" rigid conduit stubbed out 24" below grade towards customer's 120 volt 20 amp primary electrical circuit. Anchor bolts to extend 4 1/2" grade of concrete sidewalk. Haul soil from site. Clean work site thoroughly.	\$1,200.00	\$1,920.00	\$3,12	
	Note: Removal of concrete sidewalk sections and replacement concrete to be customer's responsibility.				
	On second trip to site, install and level monument sign on foundations. Connect electrical and test light.				

See attached SignArt Inc. Warranty Statement and Additional Terms and Conditions, dated August, 2005



COMPANY

SignArt, Inc.

5757 East Cork Street

KALAMAZOO, MICHIGAN 49048

Phone: (800) 422-3030 - Fax: (269) 381-0999

PURCHASER WESTERN MICHIGAN UNIVERSITY

CAMPUS PLANNING

BERNHARD CENTER ANNEX

KALAMAZOO, MI 49008

ATTENTION EVIE ASKEN

CONTRACT #

DRAWING #

QUOTATION DATE

LOCATION WESTERN MICHIGAN UNIVERSITY

QUOTATION & PURCHASE CONTRACT

SV6011019 11/6/2006 7/18/07

Page 2 of 3

VARIOUS LOCATIONS

KALAMAZOO, MI

CONTACT

269.387.4082

SignArt, Inc., a Michigan Corporation, proposes to manufacture, and or deliver, and or install and maintain for the above-named customer the items described below subject to the terms and conditions set for on the last page hereof. Prices quoted are for items listed only and do not reflect any quotations or contractual arrangements for freight, installation, connection, foundations

WM02

Iten	Description of Work	Product	Installation	Pkg/Crate	Total
3	MONUMENT SIGN #2 - SINGLE-FACED NON-ILLUMINATED DIRECTIONAL SIGN Furnish one (1) custom fabricated, non-illuminated, 4' 10" x 8' 3/4" x 1' 3" deep (verify), SignArt aluminum extrusion double-faced monument sign cabinet with 1 3/4" retainers and 2" t-bars primed and painted semi-gloss GripGard #877 silver. Top sign face to be .100 thick aluminum primed and painted semi-gloss GripGard #877 silver with "WESTERN MICHIGAN UNIVERSITY" precision computer routed out and backed using flat Casocryl applied 3M #3650-70 diffuser vinyl (60% light transmission) on second surface. Wayfinding sign face to be flat SGC100 clear Lexan with graphics digitally printed on second surface and applied 3M translucent white pressure sensitive vinyl on second surface. Reverse side sign face to be .100 thick aluminum primed and painted semi-gloss GripGard PMS #877 silver. Monument sign to include custom fabricated, .100 thick aluminum constructed, 1' 10 1/2" x 7' 3 3/4" x 1' 5" deep (verify), decorative top cap primed and painted semi-gloss GripGard to match PMS #873 gold and seal applied Calon II #59 brown pressure sensitive vinyl. Monument sign to be supported using two (2) 2" x 4" x .250 thick, rectangular steel supports with base plate mounting system concealed using custom fabricated, .063 thick aluminum constructed, 4 1/2" x 9" x 6' 5 1/2" decorative pole covering with lockable recessed disconnect and base plate shrouds primed and painted semi-gloss GripGard #877 silver. Note: Sign setup to accommodate future internal illumination, if necessary.	\$7,100.00			\$7,100.00
4	MONUMENT SIGN #2 -INSTALLATION On first trip to site, furnish forms and direct embed two (2) anchor bolt cages in 1' 6" x 4' 6" deep, augured concrete filled foundations with two (2) 3/4" anchor bolts and 1" rigid conduit stubbed out 24" below grade towards customer's 120 volt 20 amp primary electrical circuit. Top 8" to be formed and extend 4" above grade. Haul soil from site. Clean work site thoroughly.	\$1,580.00	\$1,920.00		\$3,500.00



QUOTATION & PURCHASE CONTRACT

CONTRACT #

DRAWING #

SV6011019

QUOTATION DATE

11/6/2006 7//3/07

Page 3 of 3

COMPANY

SignArt, Inc.

5757 East Cork Street

KALAMAZOO, MICHIGAN 49048

Phone: (800) 422-3030 - Fax: (269) 381-0999

LOCATION WESTERN MICHIGAN UNIVERSITY

VARIOUS LOCATIONS

KALAMAZOO, MI

PURCHASER WESTERN MICHIGAN UNIVERSITY

CAMPUS PLANNING

BERNHARD CENTER ANNEX

KALAMAZOO, MI 49008

ATTENTION EVIE ASKEN 269.387.4082

CONTACT

SignArt, Inc., a Michigan Corporation, proposes to manufacture, and or deliver, and or install and maintain for the above-named customer the items described below subject to the terms and conditions set for on the last page hereof. Prices quoted are for items listed only and do not reflect any quotations or contractual arrangements for freight, installation, connection, foundations

or steel supporting structures unless specifically itemized. Item Description of Work Product Installation Pkg/Crate

WM02

NOTES:


- Customer's electrical contractor to furnish 120 volt 20 amp primary electrical circuits and final connection of signs to primary if not available at time of installation.
- Sign #2 setup for future internal illumination, if necessary.
- City of Kalamazoo sign permits, if necessary, to be added at time of
- Final wayfinding graphic map design electronic file to be furnished by customer. SignArt to furnish partial sample for customer review.
- Customer to furnish purchase order and current copy of tax exemption certificate.
- 6 Other Charges

\$350.00

- Design/Specifications

\$350,00

	See attached SignArt Inc. Warranty	Statement and Additional Terms and Go	onditions, dated A	ugust, 2005	
Accepted for Purchaser and Payment (Guarantaed by:		TOTAL AMOUNT:	\$23,170.00	
X				DEPOSIT:	
Signature	Print	Title	Date	*	
Accepted for SignArt, Inc. by:				BALANCE:	\$23,170.00
				(to be paid upo	n completion)
Signature	Print	Title	Date		




Western Michigan University — Various Locations

Lead #SV-6011019

wmumap

© 2007



Removeable .100 aluminum cap painted GripCard semi-gloss to match PMS #873 gold.

S.A. Aluminum extrusion sign cabinet with 13/4" retainers painted GripGard semi-gloss to match PMS #877 silver.

100 Aluminum face painted GripGard semi-gloss to match PMS #877 silver with copy routed out and backed with Casocryl.

Flat SGC-100 clear Lexan face with digitally printed graphics on second surface and overlaid with translucent white pressure sensitive vinyl on second surface. Back side to be .100 aluminum painted GripGard semigloss to match PMS #877 silver.

Lockable recessed disconnect.

.063 Aluminum cladding painted GripGard to match PMS #877 silver.

2" x 4" x .250 Rectangular steel support tubes with 6" x 11" x 1" thick offset base plates welded.

1'-4" Dia x 5" high x .063 Aluminum bolt covers painted GripCard to match PMS #877 silver. Two 1'-6" x 4'-6" deep reinforced augered concrete footings each with two 3/4" anchor bolts 8" O.C. extending 4" above top of concrete. Note: Top of footings to be level with top edge of sidewalk. Sidewalk removal and installation by customer.

1" Rigid conduit stubbed out 2'-0" below grade toward electrical source for possible future illumination.

opposite side

Western Michigan University — Various Locations

This is an original unpublished drawing, submitted for your use in connection with a project being planned for you by SignArt. It is not to be reproduced, copied or exhibited in any fashion without written permission of SignArt.

©2007 wmumap

Lead #SV-6011019

Approved for: _

Date:

ſΗ

From:

Brian Keane <bri> srian@kalamazooelectric.com>

To:

'Joshua Fry' <joshua.fry@wmich.edu>

Date:

7/19/2007 6:56 AM

Subject:

Sangren Lot - Directory Sign - Electrical

Josh,

We are forwarding this proposal to perform the electrical work associated with the above mentioned project in the amount of \$1,664.00 (One thousand six hundred sixty four and no/100 dollars).

Work is to include running (1) 20A 120V circuit from the panel in W. Michigan Sub to the directory located in the sidewalk area just east of the sub. We plan on controlling the sign via a photocell/timeclock combination. Trenching will be by others.

Thank you for the opportunity to be of service to you. If you have any questions or comments, feel free to contact our office.

Sincerely,

Brian Keane

Kalamazoo Electric, Inc.

6185 W. KL Avenue

Kalamazoo, MI 49009

Phone: (269) 372-2035

Fax: (269) 372-9690

http://www.kalamazooelectric.com www.kalamazooelectric.com

Jun 26 07 11:00a

ADVANCE POURED WALLS, INC. 3425 SOUTH 6TH STREET KALAMAZOO, MICHIGAN 49009

Page 1 of 1 148-07 PROPOSAL

(269) 372-0056 FAX (269) 372-3722

TO:

WMU ATTN: JOSH 1903 W. MICHIGAN AVE

KALAMAZOO, MI 49006

PHONE:

387-8551

DATE

AIL

6/26/2007

REPAIR SIDEWALK FOR NEW SIGN BASE

JOB PHONE: 387-8818 FAX JOB NUMBER:

REMOVE FOUR 5'X5' SECTIONS OF SIDEWALK, DIG FOR ELECTRICIANS AND BACKFILL

REPOUR FOUR 5'X5'X6" WITH WIRE AFTER NEW SIGN BASE POURED (SAW CUTTING BY OTHERS)

ONE THOUSAND FOUR HUNDRED AND 00/100

DOLLARS

\$ 1,400.00

EXTRAS NOT INCLUDED IN ABOVE PRICING:

- * Telebelt/Concrete pumping per each use
- * Retaining walls to be determined by builder on site
- * Winter charges apply as follows: November & April add 3%; December, January, February & March add 7%

Please note: This estimate does not apply to uncustomary site conditions. Good working conditions and access to site must be provided. Owner/builder to provide drivable access for Concrete Trucks. This proposal is based on information provided. Any changes in wall lengths, width, or height due to site elevations will be billed accordingly.

Acceptance of Proposal -

The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified.

Signature

ose This proposer may be withdrawn it not accepted in 45 days